

IBM_RealExamEvanjiang.net_000-004_v2011-11-09_65q_By-

Number: 000-004

Passing Score: 800

Time Limit: 120 min

File Version: 2011-11-09

Exam : IBM 000-004

Version : 2011-11-09

Questions : 65

Added some new important questions for ur exam prepration .

Best of luck .

By :

温室小花... 中间件... 数据库
<http://www.evanjiang.net>

Exam A

QUESTION 1

Which command can be used to verify if a backup stgpool command finished successfully?

- A. Q LOG
- B. Q ACTLOG
- C. Q PROCESS
- D. Q STGPOOL

Answer: B

QUESTION 2

What is the minimum size of active log?

- A. 2 GB
- B. 13 GB
- C. 128 GB
- D. It depends upon the file system size

Answer: A

QUESTION 3

Which option disables deduplication when using update scgpooi?

- A. DUPLICATE=NO
- B. DUPLICATE=OFF
- C. DEDUPLICATE=NO
- D. DEDUPLICATE=OFF

Answer: C

QUESTION 4

An IBM Tivoli Storage Manager (Tivoli Storage Manager) administrator checks daily the Tivoli Storage Manager activity log for errors and warnings. This task is a manual process that should be automated. What should the administrator do?

- A. Create a script and run it daily from the command line.
- B. Create a script and a client schedule to run it daily automatically.

- C. Create a script and an administrative schedule to run it daily automatically.
- D. Use the Administration Center, select Define Script, and then select "run daily".

Answer: C

QUESTION 5

Which type of storage pool can use either a sequential access device class or a random

- A. active-data pool
- B. copy storage pool
- C. primary storage pool
- D. deduplicated data pool

Answer: C

QUESTION 6

After a scheduled backup to IBM Tivoli Storage Manager (Tivoli Storage Manager) performed by Tivoli Storage Manager client node, it has been found that few files have been skipped or not included in backup for some reason. Which two logs from backup-archive client should be checked as an initial step to get information of schedule operation failure? Choose two.)

- A. activity log
- B. error report from operating system
- C. dsmserror.log file located in backup -archive client installation directory 2 / 14
Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/> The safer ,easier way to help you pass any IT exams.
- D. Dally Operational Report generated by Tivoli Storage Manager server
- E. dsmscheD. log file located in backup -archive client Installation directory

Answer: CE

QUESTION 7

What occurs when the archive log runs out of space?

- A. An archive log mirror is created.
- B. A failover archive log is created.
- C. The IBM Tivoli Storage Manager server halts.
- D. Data begins being deleted from the IBM Tivoli Storage Manager server

Answer: C

QUESTION 8

An IBM Tivoli Storage Manager administrator receives a call from a client complaining that backups are taking twice as long as usual. The administrator decides to run a manual backup to check the client's performance and the backup completes. Where should the administrator look to review the statistics of the backup that was completed?

- A. on the server in the event.log
- B. on the server in the activity log
- C. on the client in the dsrmerror.log
- D. on the client in the dsmsched.log

Answer:

QUESTION 9

Which two statements are true about shredding sensitive data? (Choose two.)

- A. I/O response time is improved.
- B. Performance for shredding data is faster.
- C. Discovering and reconstructing data is easy.
- D. Data is overwritten one or more times after it is deleted.
- E. Shredding can be done either automatically or manually

Answer: DE

QUESTION 10

Which command can be used to display information about all volumes checked into an automated library for use by the IBM Tivoli Storage Manager server?

- A. Q MEDIA
- B. Q LIBVOL
- C. Q VOLUMES
- D. Q CONTENTS

Answer: B

QUESTION 11

On a Windows platform, what is the purpose of the include/exclude list in the dsm.optfile?

- A. which files are scheduled to be backed up
- B. to ensure the IBM Tivoli Storage Manger client password is encrypted
- C. that the include/exclude list does not apply to the Windows dsm.optfile
- D. to specify the files to be treated differently from the DEFAULT management class

Answer: D

QUESTION 12

Which two privileges should an administrator have to perform AUDIT.LIBRARY process for IBM

3 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/>

The safer , easier way to help you pass any IT exams.

Tivoli Storage Manager? Choose two.)

- A. analyst authority
- B. policy privilege
- C. system privilege
- D. operator privilege
- E. unrestricted storage privilege

Answer:

QUESTION 13

Which action must be taken to use a new active log directory?

- A. Use DB2 Administration Center.
- B. Edit the activelogdir server option and restart the IBM Tivoli Storage Manager server.
- C. Issue the server command set actlogdir and restart the IBM Tivoli Storage Manager server.
- D. Use dshserv utility with activelogdir parameter and restart the IBM Tivoli Storage Manager server

Answer: B

QUESTION 14

During start-up, the IBM Tivoli Storage Manager server is in the foreground. Several tapes in read-only and/or are unavailable. Which action will correct the status?

- A. MOVE VOLUME valid ACCESS=READWRITE
- B. UPDATE VOLUME valid ACCESS=READWRITE
- C. UPDATE LIBRARY valid ACCESS=READWRITE
- D. UPDATE VOLUME valid ACCESS=UNAVAILABLE

Answer: B

QUESTION 15

Which statement describes IBM Tivoli Storage Manager message events?

- A. All events are always stored in the activity log and cannot be disabled.
- B. Only errors and warnings are stored in the activity log and cannot be disabled.
- C. All events are always stored in the event log and can be disabled with disabled event command.
- D. Only errors and warnings are stored in the event log and can be disabled with disabled event command

Answer: A

QUESTION 16

An administrator of IBM Tivoli Storage Manager schedules a migration to move data from the DISKPOOL to TAPEPOOL for local sequential copy, but he also wants to keep the data on DISKPOOL for faster restore to improve performance. Which option will accomplish this task?

- A. CHANGE STGPOOL DISKPOOL ACCESS=READWRITE
NEXTSTGPOOL=TAPEPOOL HIGHMIG=0 LOWMIG=0 CACHE=YES
HIGPROCESS=2 HIGCONTINUE=YES
- B. UPDATE STGPOOL DISKPOOL ACCESS=READWRITE
NEXTSTGPOOL=TAPEPOOL HIGHMIG=0 LOWMIG=0 CACHE=YES
HIGPROCESS=2 HIGCONTINUE=YES
- C. UPDATE STGPOOL DISKPOOL ACCESS=READWRITE
NEXTSTGPOOL=TAPEPOOL HIGHMIG=50 LOWMIG=50 CACHE=NO
HIGPROCESS=2 HIGCONTINUE=YES

Collected by <http://www.facebook.com/IT.Exam.Share> Download from

<http://www.killtest.com/> The safer , easier way to help you pass any IT exams.

D. CHANGE STGPOOL DISKPOOL ACCESS=READWRITE
NEXTSTGPOOL=BACKPOOL HIGHMIG=100 LOWHIG=100
CACHE=YES HIGPROCESS=2 H1GCONTINUE=YES

Answer: B

QUESTION 17

A customer has a 3584 library with 1000 tape volumes. All of the tape volumes are in IBM Tivoli Storage Manager library inventory with private and scratch status. Now the customer wants to know the total number of 'Private' volumes by SQL command. What is the correct SQL statement for an automatic count?

- A. SELECT * FROM volumes WHERE status=1Private1
- B. SELECT * FROM libvolumes WHERE status=1Private1
- C. SELECT COUNT(*) FROM volumes WHERE status=1Private1
- D. SELECT COUNT(*) FROM libvolumes WHERE status=1Private1

Answer: D

QUESTION 18

If a symbolic link points to a directory, the backup depends on how the directory is specified on the command. If a directory is specified with a trailing slash on a selective or incremental backup command, how does the client save the symbolic link?

- A. The client only backs up the path information.
- B. The client does not back up the contents of the target directory.
- C. The client saves the symbolic link as a directory, and backs up the contents of the target directory.
- D. The client does not save the symbolic link and the contents of the target directory are not backed up

Answer: C

QUESTION 19

Which statement will be added to the client's option file to assign a management class for a file for backup?

- A. MC=<management class name>

- B. Accept policy <policy domain name>
- C. Backup <fully qualified file name> mgmtclass
- D. Include <fully qualified file name> mgmtclass

Answer: D

QUESTION 20

On the Windows platform, where should a predefined custom) dsm.optfile be placed when installing IBM Tivoli Storage Manager V6.1 client?

- A. ...\\CLIENT directory
- B. ...\\CONFIG directory
- C. ...\\BACLIENT directory
- D. ...\\BACLIENT\\CONFIG directory

Answer: B

QUESTION 21

What should be done to remove all tape libraries and all data on tapes stored in library from IBM Tivoli Storage Manager Tivoli Storage Manager)?

5 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/>

The safer , easier way to help you pass any IT exams.

- A. Delete the filespace.
- B. Delete the volumes, the contents, the paths, and the library from Tivoli Storage Manager.
- C. Delete the contents of the volumes, check out all the tapes, delete the path, and then delete the tape library.
- D. Delete the contents of the tape volumes, and delete the tape drives, paths, device class and library from Tivoli Storage Manager

Answer: D

QUESTION 22

An IBM Tivoli Storage Manager administrator has to determine why a backup failure occurred. Which location is the best place to find the cause of the failure?

- A. event.log
- B. cliact.log
- C. dsmerror.log
- D. IBM Web site

Answer: C

QUESTION 23

What must be defined in order for migration to occur?

- A. mlgstgpool=<pool name>
- B. nextstgpool=<pool name>
- C. hlghmigpool=<pool name>
- D. cachestgpool=<pool name>

Answer: B

QUESTION 24

In order to back up a MAS device to an IBM Tivoli Storage Manager Tivoli Storage Manager native storage pool, set the destination storage pool in the copy group to point to the desired native storage pool. The destination storage pool provides the information about the library and drives used for backup and restore. When backing up a NAS file server to Tivoli Storage Manager native pools, the TOCDESTINATION may be the same as the destination of the NDMP data. What is required for this to happen?

- A. Define a new copygroup for the TOC.
- B. Define a new device class for the TOC.
- C. Define a copygroup with the TOCDescription parameter.
- D. Define a device class, by using the TOCDescription parameter

Answer: C

QUESTION 25

When the recovery plan file is generated, processing can be limited to specified pools. The default at installation is all copy storage pools. Which command will change this?

- A. SET COPYPOOL
- B. Define COPYPOOL

- C. Define DRHCOPYPOOL
- D. SET DRHCOPYSTGPOOL

Answer: D

6 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/>

The safer , easier way to help you pass any IT exams.

QUESTION 26

Which encryption policy is used by the Library Managed tape encryption method?

- A. range or set of volumes
- B. dedicated storage pools
- C. enabled at tape drive level
- D. activated at COPY GROUPS definitions

Answer: A

27 .A Network Data Management Protocol (NDMP) installation is growing fast with a large filer. For these large IBM Tivoli Storage Manager nodes, a faster backup method must be implemented. Which method should be considered?

- A. SnapMirrorto Tape
- B. NDMP differential backup
- C. Incremental backup with NDMP

Answer: A

QUESTION 27

What is the minimum level of authority needed by the administrator to query the sessions that are running on the IBM Tivoli Storage Manager server?

- A. Policy
- B. System
- C. Storage
- D. No privilege

Answer: D

QUESTION 28

An administrator decided to automatically run the typical administrative tasks for IBM Tivoli Storage Manager (Tivoli Storage Manager) starting from Migration to off-site movement of media.

What is the most suitable choice?

- A. Create DRM file on daily basis.
- B. Create a Server Maintenance Script.
- C. Define Schedules for different server process.
- D. An operator with STORAGE authority is required to run d aily Tivoli Storage Manager server task

Answer: C

QUESTION 29

A company has changed its backup policy which will affect the backups of 250 Windows XP/2003/ 2008 clients that back up to a single IBM Tivoli Storage Manager (Tivoli Storage Manager) server. The major change in the policy affects COMPRESSION, INCLUDE, EXCLUDE, TXNBYTELIMIT and RETRYPERIOD. The administrator wants to deploy this change to the Tivoli Storage Manager clients over a weekend. What is the most efficient method to implement these options across all client systems?

- A. Modify all the dsm.opt files.
- B. update dshopt with the common settings.
- C. update clientopt with the common settings.
- D. Create a dsm.opt and copy it across all the client systems

Answer: C

7 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/>

The safer , easier way to help you pass any IT exams.

QUESTION 30

Which two statements are true about DSMUPGRD upgrade utilities? Choose two.)

- A. DSMUPGRD utilities are run on the original database.
- B. DSMUPGRD EXPORTDB utility extracts data from a server database.
- C. DSMUPGRD PREPAREDB upgrades a server database version to V5.5.
- D. DSMUPGRD INSERTDB utility moves a server database into a new V6.1 database.
- E. The upgrade utilities prepare and extract data from an IBM Tivoli Storage Manager server version V5.2 or above server database

Answer: AC

QUESTION 31

Which command renames an existing client file space?

- A. Sec filesystem
- B. Modify filesystem
- C. Rename filesystem
- D. Update filesystem

Answer: C

QUESTION 32

Which command can be used to perform an automatic backup of the IBM Tivoli Storage Manager database?

- A. define dbbackup
- B. define dbbackuptrigger
- C. define databackup trigger
- D. define schedule backup_database type=administrative cmd="backup db type=full devclass=file" active=yes starttime=22:00 period=2

Answer: D

QUESTION 33

The node name SERVER_NODE1 is performing backup to a collocated storage pool. Which two commands can show the IBM Tivoli Storage Manager administrator the name of the collocation group to which a node belongs? Choose two.)

- A. QUERY COLLOGGROUP F=D
- B. QUERY NODE SERVER_NODE1 F=D
- C. QUERY COLLOCHEMBER SERVER_NODE1
- D. QUERY NODATA SERVER_NODE1 COLLOGGROUP=YES
- E. QUERY STGPOOL COLLOCATE =NODE NODE=SERVER_NODE1 F=D

Answer: AB

QUESTION 34

Which two steps should be performed by an administrator of IBM Tivoli Storage Manager to make sure they have intact database backup volumes information and device definitions available? Choose two.)

- A. Perform backup of volhistfile.
- B. Perform backup of devconfig file.
- C. Perform DB backup of Type=FULL_.
- D. Perform backup of dsmserv.dskfile each day
- E. Perform backup of dsmserv.optfile each day.

8 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from
<http://www.killtest.com/> The safer , easier way to help you pass any IT exams.

Answer: AB

QUESTION 35

A client node named WINSRV009 is already defined in the IBM Tivoli Storage Manager Server Tivoli Storage Manager) under the Policy Domain WINJDOMAIN. Its backup operation was taking too long and it decided to change its backup to send data directly to four tape drives by using LAN-free only. The paths to the drives were already defined for the WINSRV009 server. Which Tivoli Storage Manager command satisfies this condition?

- A. upd node BINSRV009 HAXHUHHP=2 DATAUr itepach=LAN Free
- B. upd node BINSRV009 HAXHUHHP=4 DATAUr itepach=SAN VALIdateprotocol=no
- C. updnode BINSRV009 HAXNUHHP=4 DATAWr itepach=LANFree VALIdateprotocol=no
- D. upd node BINSRV009 HAXSESSIONS=4 DATAWr itepach=SAN VALIdateprotocol=yes

Answer: C

QUESTION 36

Some node data engineering must be moved into another storage pool. There is only a small amount of data from one filespace to be moved into a backup pool. What are the move data commands?

- A. move invencory node=engineering
- B. move daca fromstgpool=engpool tostgpool=backuppool
- C. move cliencdaca fromscgpool=engpool tostgpool=backuppool
- D. move nodedaca engineering fromscgpool=engpool coscgpool=backuppool

Answer: D

QUESTION 37

Which statement is true about IBM Tivoli Storage Manager selective backup?

- A. It causes the server to update the date and time of the last archive.
- B. It expires backup versions of files that are deleted from the workstation.
- C. It rebinds backup versions to a management class if the management class has not changed.
- D. It backs up directory and file entries even if their size, modification timestamp, or permissions have not changed.

Answer: D

QUESTION 38

The AIX Administrator informed that a "cfgmgr" command was issued at the IBM Tivoli Storage Manager (Tivoli Storage Manager) server after maintenance. Which two commands help the Tivoli Storage Manager administrator verify if the device names of the tape drives should be changed according to the tape device information sent by the AIX Administrator? (Choose two.)

- A. QUERY HOUNT
- B. QUERY PATH F=D
- C. QUERY DRIVE F=D
- D. QUERY DEVICE F=D
- E. QUERY LIBRARY F=D

Answer: BC

QUESTION 39

In the data center of a company, the IBM Tivoli Storage Manager administrator has been asked to manage all information specified in the volume history file. The requirement is not to keep any information in the volume history file for more than 7 days. Which command should be put in an admin schedule to support this requirement?

9 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/>

The safer , easier way to help you pass any IT exams.

- A. delete volhiscore cype=all codace=coday -7
- B. delete volhiscore cype=all codace=coday -8
- C. delete volhiscore cype=DBBACKUP codace=HM:DD:YYYY
- D. delete volhiscore cype=all codace=coday -6 cocime=23:59:59

Answer: A

QUESTION 40

What is the maximum number of copygroups that can be assigned to a management class?

- A. one
- B. two
- C. three
- D. no limit

Answer: B

QUESTION 41

A new administrative schedule did not run when it was scheduled. What is the most likely cause?

- A. the priority = 0
- B. It was not active.
- C. The node was not registered.
- D. It was not associated with a node

Answer: B

QUESTION 42

The IBM Tivoli Storage Manager administrator wants to reduce restore times. Which action helps accomplish that objective?

- A. Increase scratch volumes.
- B. Enable collocation groups.
- C. Shorten the client backup window.
- D. Enable collocation on the random access storage pool

Answer: B

QUESTION 43

Which client options are only stored in the local option file for the client?

- A. domain
- B. tapeprompt
- C. communication method
- D. include/exclude statements

Answer: C

QUESTION 44

What is a characteristic of active-data pools?

- A. It can accept use of Collocation.
- B. It can use DISK or FILE device classes.
- C. It can be used as a primary destination for backed-up files.
- D. It can accept DESTROYED access mode on the pool volumes

Answer: A

QUESTION 45

IBM Tivoli Storage Manager (Tivoli Storage Manager) reporting and monitoring feature does not have an option to create custom reports for Tivoli Storage Manager, however a client wants to create

10 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/>

The safer , easier way to help you pass any IT exams.

their own custom report. Which additional software is required to enable this feature?

- A. Crystal Reports
- B. Promodag Reports
- C. MicroStrategy Reporting Suite
- D. Business Intelligence and Reporting Tools

Answer: D

QUESTION 46

What is the minimum authority level to set the scheduling mode on the server or client?

- A. System Privilege
- B. Storage Privilege
- C. Standard Privilege
- D. Schedule Privilege

Answer: A

QUESTION 47

The IBM Tivoli Storage Manager client can use the VSS operation. What are the three purposes of this operation? Choose three.)

- A. image copy
- B. image backup
- C. Open file support
- D. incremental restore E. incremental backup F. Systemstate backup

Answer: BC

QUESTION 48

A system administrator is unable to delete a stgpool. Which two causes are possible? Choose two.)

- A. f admin has system privilege
- B. f device class still exists of stgpool
- C. f there is not a single volume assigned to the stgpool
- D. f there is still at least one volume defined to the stgpool
- E. f stgpool is identified as the next storage pool for other storage pools

Answer: DE

QUESTION 49

What happens if two administrative schedules conflict, trying to start at the same time?

- A. Both schedules fail.
- B. Both schedules will be in pending state.
- C. The schedule with the highest priority lowest number) will run first.
- D. The schedule with the highest priority highest number) will run first.

Answer: C

QUESTION 50

Which command must be used to define a schedule that archive s specific files quarterly on the last Friday of the month?

- A. define schedule command with schedstyle=enhanced parameter
- B. define schedule command with schedstyle=advanced parameter
- C. define clientaction command with schedstyle=enhanced parameter 11 / 14
Collected by <http://www.facebook.com/IT.Exam.Share> Download from
<http://www.killtest.com/> The safer , easier way to help you pass any IT exams.
- D. define client action command with schedstyle=advanced parameter

Answer: A

QUESTION 51

Which command can be used to add an unlabeled tape to an automated library if autolabel=no, and make it available as a scratch tape?

- A. dsmc label
- B. label libvol
- C. checkout libv
- D. define volume

Answer: B

QUESTION 52

What is the term for automatic data movement that frees up space on tape volumes by consolidating active data from fragmented tape volumes onto a single volume?

- A. migration
- B. collocation
- C. reclamation
- D. aggregation

Answer: C

QUESTION 53

Which command can be used to determine whether a given node is capable of LAN-free data movement?

- A. QUERY SAN
- B. QUERY SERVER
- C. QUERY LANFREE
- D. VALIDATE LANFREE

Answer: D

QUESTION 54

To which file is the output directed when the schedule command is run as a service?

- A. dserror.log
- B. dsmscheD. log
- C. dsmschederror.log
- D. dsmschedstatus.log

Answer: B

QUESTION 55

What does the revoke authority command do?

- A. It revokes privileges of IBM Tivoli Data Protections clients.
- B. It revokes privileges of IBM Tivoli Storage Manager administrators.
- C. It revokes privileges of IBM Tivoli Storage Manager backup -archive clients.
- D. It revokes privileges of IBM Tivoli Storage Manager administrators as well as backup-archive clients

Answer: B

QUESTION 56

What is the correct step to check if an IBM Tivoli Storage Manager Tivoli Storage Manager)node is currently running a backup or restore?

- A. Execute query process on the Tivoli Storage Manager server.

12 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from
<http://www.killtest.com/> The safer, easier way to help you pass any IT exams.

- B. Execute query session on the Tivoli Storage Manager server.
C. Execute dsmc monitor backup on the Tivoli Storage Manager client.
D. Execute dsmc query process on the Tivoli Storage Manager client

Answer: B

QUESTION 57

An IBM Tivoli Storage Manager (Tivoli Storage Manager) administrator has generated reports from the Tivoli Storage Manager Monitoring and Reporting server which shows that there are many clients which cannot start their backups at the scheduled time every night at 2200 hrs. Which parameter should be updated so that these clients' backups can be started at the same time?

- A. STARTTIME
B. MAXSESSIONS
C. SCHEDULETIME
D. BACKUPHISTORY

Answer: B

QUESTION 58

A managed server is removed from a profile. Which command removes the profile association?

- A. DELETE PROFILE
B. DISALLOCATE PROFILE
C. DELECE PROFASSOCIACION
D. REMOVE PROFASSOCIACION

Answer: C

QUESTION 59

Which command runs the expiration process for backup data for 2 hours with 3 threads on nodes A, B, and C?

- A. expire invencory duracion=2 node=A,B,C cype=backup
- B. expire invencory duracion=120 node=A,B,C cype=backup
- C. expire invencory duracion=2 node=A,B,C resource=3 cype=backup
- D. expire invencory duracion=120 node=A,B,C resource=3 cype=backup

Answer: D

QUESTION 60

From which URL can the IBM Tivoli Storage Manager Administration Center be accessed?

- A. http://machine_name:1580/ibm/console
- B. http://machine_narne:9000/ibm/console
- C. https://machine_name:9044/ibrn/console
- D. https://machine_name:50000/ibm/console

Answer: C

QUESTION 61

Which parameters should the backup copygroup have, to keep only the last backup copy of data indefinitely after the file has been deleted from the file system and a daily incremental backup has been completed?

- A. verdeleted=0 reonly=nolimit
- B. verdeleced=1 reonly=nolimit
- C. verdeleced=1 reextra=nolimit

13 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from
<http://www.killtest.com/> The safer, easier way to help you pass any IT exams.

- D. verextra=1 reextra=nolimit retonly=nolimit

Answer: B

14 / 14

QUESTION 62

Which option disables deduplication when using update scgpooi?

- A. DUPLICATE=NO
- B. DUPLICATE=OFF
- C. DEDUPLICATE=NO
- D. DEDUPLICATE=OFF

Answer: C

QUESTION 63

Which two privileges should an administrator have to perform AUDIT LIBRARY process for IBM

3 / 14

Collected by <http://www.facebook.com/IT.Exam.Share> Download from <http://www.killtest.com/>

The safer , easier way to help you pass any IT exams.

Tivoli Storage Manager? Choose two.)

- A. analyst authority
- B. policy privilege
- C. system privilege
- D. operator privilege
- E. unrestricted storage privilege

Answer:

QUESTION 64

Which encryption policy is used by the Library Managed tape encryption method?

- A. range or set of volumes
- B. dedicated storage pools
- C. enabled at tape drive level
- D. activated at COPY GROUPS definitions

Answer: A

27 .A Network Data Management Protocol (NDMP) installation is growing fast with a large filer. For these large IBM Tivoli Storage Manager nodes, a faster backup method must be implemented. Which method should be considered?

- A. SnapMirror to Tape
- B. NDMP differential backup
- C. Incremental backup with NDMP

Answer: A

QUESTION 65

A new administrative schedule did not run when it was scheduled. What is the most likely

cause?

- A. the priority = 0
- B. It was not active.
- C. The node was not registered.
- D. It was not associated with a node

Answer: B

温室小花... 中间件... 数据库
<http://www.evanjiang.net>